



Thule Rapid System Kit 1183

> Instructions

MITSUBISHI Pajero, 3-dr SUV, 99-06

MITSUBISHI Montero, 3-dr SUV, 99-06

The diagram illustrates the installation process and weight limits. On the left, a person is shown reading the instruction manual (labeled 'B') and a warning sign. An arrow points from the manual to the Thule Rapid System 754 (labeled 'A'). Below the manual is a pencil and a form. On the right, a weight limit diagram shows a bag labeled 'xx kg / xx lbs' plus a rack labeled '7 kg / 15,4 lbs' and two screws labeled '3 kg / 6,6 lbs'. The total weight limit is shown as 'Max. 75 kg / 165 lbs'. Below this, a speedometer diagram shows a warning sign and a speed limit of 40 km/h (25 Mph) for the rack, with a note that the rack is not to be used above 80 km/h (50 Mph) or 130 km/h (80 Mph).

ISO 11154-E

141183

C.20150501
519-1183-01


Bring your life

thule.com



329 x4

04 x4





x1



x1

1


	X (scale)	X (mm)	X (inch)
MITSUBISHI Pajero , 3-dr SUV, 99-06	48,5	1136	44 ³ / ₄
MITSUBISHI Montero , 3-dr SUV, 99-06	48,5	1136	44 ³ / ₄



	Y (scale)	Y (mm)	Y (inch)
MITSUBISHI Pajero , 3-dr SUV, 99-06	47,5	1126	44 ³ / ₈
MITSUBISHI Montero , 3-dr SUV, 99-06	47,5	1126	44 ³ / ₈



2

SRA




MITSUBISHI Pajero, 3-dr SUV, 99-06

MITSUBISHI Montero, 3-dr SUV, 99-06



3



	W (mm)	Z (mm)	Y (mm)	W (inch)	Z (inch)	Y (inch)
MITSUBISHI Pajero , 3-dr SUV, 99-06	330	700	390	13	27 1/2	15 3/8
MITSUBISHI Montero , 3-dr SUV, 99-06	330	700	390	13	27 1/2	15 3/8

