





Thule Rapid System Kit 1321

> Instructions

KIA Amanti, 4-dr Sedan, 03-09 / *04-09

KIA Opirus, 4-dr Sedan, 03-09

*North America



ISO 11154-E


141321

C.20121210
519-1321-02

Bring your life
thule.com



04 x4



582 x2



583 x2





x1



x1

1

	X (scale)	X (mm)	X (inch)
KIA Amanti , 4-dr Sedan, 03-09 / *04-09	41,5	1066	42
KIA Opirus , 4-dr Sedan, 03-09	41,5	1066	42






	Y (scale)	Y (mm)	Y (inch)
KIA Amanti , 4-dr Sedan, 03-09 / *04-09	39,5	1046	41 1/8
KIA Opirus , 4-dr Sedan, 03-09	39,5	1046	41 1/8

2

KIA Amanti, 4-dr Sedan, 03-09 / *04-09

KIA Opirus, 4-dr Sedan, 03-09



3

	W (mm)	Z (mm)	W (inch)	Z (inch)
KIA Amanti , 4-dr Sedan, 03-09 / *04-09	370	700	14 ⁵/₈	27 ¹/₂
KIA Opirus , 4-dr Sedan, 03-09	370	700	14 ⁵/₈	27 ¹/₂

